## **NEEGAN** BURNSIDE

Reptile Survey



			<del>-</del>	
ELC	SITE: SHE	(near T-	10)	
ELC	POLYGON: PDD5			
WILDLIFE	4 400	,7012		i q
	SURVEYOR(S):	END TIME: 163	5	NOTES:
1/10-				-Located Sof Turnbul Kd bridge
	LOUD (10th): WIND:	PRECIPITATION	: 1/20	100000
conditions: Sauv		y in a week		- many concrete, rock rubble piles
POTENTIAL WILDLIFE H	ABITAT:			- wood debris, rubbish along woodlot
VERNAL POOLS		SNAGS		
HIBERNACULA (	ivakes) !	FALLEN LOGS	Î	edge, soil mounds
				- a Diears to be suitable shake hive in
SPECIES LIST:				aliminate a second
	V NOTES #	Y SP. CODE	EV NOTES #	an ough ho motoring the ough
OB fielderons				- 40 mixutes of observation although
	en (hea)			no shake observations
				A Cigled was 460 Mariell TURI
				- Observer I trew and the
				(hen)
				don't far two kes to be out
	<del>-   </del>			
				Jasking aestation
	<del></del>			
			/ · · · · · · · · · · · · · · · · · · ·	
FAUNAL TYPE CODES (	TY): MAL H=HERPETOFAUNA	I = I EPIDOPTERA F =	FISH O = OTHER	
EVIDENCE CODES (EV):				
BREEDING BIRD - POSSIBLI SH = SUITABLE HABITA	E:	ALE		4
BREEDING BIRD - PROBABI	LE: D = DISPLAY	P = PAIR	•	
T = TERRITORY A = ANXIETY BEHAVIO			ING NEST	
BREEDING BIRD - CONFIRM	IED:			
DD = DISTRACTION NE = EGGS	NU = USED NEST NY = YOUNG		EDGED YOUNG OD/FAECAL SACK	
AE = NEST ENTRY				
OTHER WILDLIFE EVIDENCE OB = OBSERVED	E: VO≔VOCALIZAT	ION CA ≈ CA	RCASS	LEVEL

CA = CARCASS FY = EGGS OR YOUNG

SC = SCAT

HO = HOUSE/DEN FE = FEEDING EVIDENCE

DP = DISTINCTIVE PARTS

SI = OTHER SIGNS (specify)

TK = TRACKS

ELC  WILDLIFE  WILDLIFE  TEMP (°C): U CLOUD (10th): WIND  CONDITIONS: Sung first warm  POTENTIAL WILDLIFE HABITAT:	25,12 > > END TIME: 1730	NOTES: - 2 rock piles and wood delaris - shalow drain flows no rehalong
VERNAL POOLS	SNAGS	The state of the s
HIBERNACULA	FALLEN LOGS	of wood of
		- train is very Shallow, potential figh
SPECIES LIST:		habitat
TY SP. CODE EV NOTES #	TY SP. CODE EV NOTES #	
		- no observations of wildlife
		-
FAUNAL TYPE CODES (TY):  B = BIRD M = MAMMAL H = HERPETOFAUNA	L=LEPIDOPTERA F=FISH O=OTHER	
EVIDENCE CODES (EV): BREEDING BIRD - POSSIBLE: SH = SUITABLE HABITAT SM = SINGING	MALE	
BREËDING BIRD - PROBABLE:	•	
T = TERRITORY D = DISPLAY A = ANXIETY BEHAVIOUR N = NEST BUIL		
BREEDING BIRD - CONFIRMED: DD = DISTRACTION NU = USED NE: NE = EGGS NY = YOUNG AE = NEST ENTRY	ST FY = FLEDGED YOUNG FS = FOOD/FAECAL SACK	
OTHER WILDLIFE EVIDENCE:  OB = OBSERVED	EN FY = EGGS OR YOUNG	LEVEL

ELC  WILDLIFE  STRE: (MOTH OF T-31)  POLYGON: FO. 5-8  DATE: A-PIT 25,72  SURVEYOR(S): (P)  START TIME: [ROD END TIME: 1/90)  TEMP (°C): [2° C (LOUD (1016)); 8 WIND: ) PRECIPITATION: NO  CONDITIONS: TURNING DUPL COST TOM SUMM.  POTENTIAL WILDLIFE HABITAT:  VERNAL POOLS UDIT HE COSE. SNAGS  HIBERNACULA  SPECIES LIST:  TY SP. CODE EV NOTES # TY SP. CODE EV NOTES #  DB WORT TO S  DB CAPPITITIAN O BETULO IM  LUCY OF THE COST O			T		1	A	T-21)	<del></del>	1
WILDLIFE  DATE: APTIT 25,12 SURVEYOR(S): (P) START TIME: (ROD END TIME: 1900  TEMP (°C): [2° CLOUD (108): 8 WIND:   PRECIPITATION: NO  CONDITIONS: +UTWING OUR CAST DAM SUMMY  POTENTIAL WILDLIFE HABITAT:  VERNAL POOLS (NOT HE BABTAT: NO EAR MASSES) HIBERNAGULA  FALLEN LOGS  SPECIES LIST:  TY SP. CODE EV NOTES # TY SP. CODE EV NOTES # Deval Region of the second of t		ELC	SITE:	16		<u>cot</u>	1,217		
WILDLIFE  SURVEYORIS: (P)  START TIME: (RD) END TIME: (PD)  TEMP (°C): [2°C CLOUD (10th): R) WIND:   PRECIPITATION: NO  CONDITIONS: +UTUING DUEST CAST (DM SUNNY  POTENTIAL WILDLIFE HABITAT:  VERNAL POOLS (NOTE) & SNAGS  HIBERNACULA  V FALLEN LOGS  SPECIES LIST:  TY SP. CODE EV NOTES # TY SP. CODE EV NOTES # DE VACATION OF STAND (NOTE)  DB (NOOR) FOOLS  NOTES # DE VACATION OF STAND OF STAND (NOTE)  WAS ARTAINED NOTES # TY SP. CODE EV NOTES # DE VACATION OF STAND OF ST									
TEMP (°C): 12°C CLOUD (10th): 8 WIND:   PRECIPITATION: NO  CONDITIONS:   FUTURE OUL COST   FORM SUMMY  POTENTIAL WILDLIFE HABITAT:  VERNAL POOLS   NOTE   SNAGS   SNAGS   SMECKED   SNAGS    HIBERNACULA   FALLEN LOGS   SNAGS   SMECKED   SNAGS    SPECIES LIST:  TY   SP. CODE   EV   NOTES   TY   SP. CODE   EV   NOTES   SMECKED   SNAGS    CAPPINIALS O SECULO IN   MOSQUITO Y    DE CAPPINIALS O SECULO IN   MOSQUITO Y    NOTES   SMECKED   SNAGS   SMECKED   SNAGS    FALLEN LOGS   SMECKED   SNAGS   SMECKED   SNAGS    SPECIES LIST:  TY   SP. CODE   EV   NOTES   TY   SP. CODE   EV   NOTES   SMECKED   SNAGS    DE CAPPINIALS O SECULO IN   MOSQUITO Y    NOTES   SMECKED   SNAGS   SMECKED   SNAGS    NOTES   SNAGS    NOT		WILDLIFE		5-4	<u></u>				Notro:
TEMPORES: LECTURION DUESCAST FRANCISCO  CONDITIONS: FUFFILM DUESCAST FRANCISCO  POTENTIAL WILDLIFE HABITAT:  VERNAL POOLS  VERNAL POOLS  VERNAL POOLS  VERNAL POOLS  VERNAL POOLS  SPECIES LIST:  TY SP. CODE  EV NOTES  TY SP. CODE  TY SP. CODE  EV NOTES  TY SP. CODE  EV NOTES  TY SP. CODE  TY SP. CODE  EV NOTES  TY SP. CODE  TY SP			START TIME: 1800	2	END TIME: 190	20_			
POTENTIAL WILDLIFE HABITAT:  VERNAL POOLS MOTTH edge SNAGS  HIBERNACULA  V FALLEN LOGS  SPECIES LIST:  TY SP. CODE EV NOTES # TY SP. CODE EV NOTES # Devocation of the pool of	TEN	IP (°C): 12°C CLO	OUD (10th): 8 WINI	):	PRECIPITATIO	N: N	70		- Vernal Pools, very 50
POTENTIAL WILDLIFE HABITAT:  VERNAL POOLS MOTIFIC CORR.)  SNAGS  HIBERNACULA  V FALLEN LOGS  SPECIES LIST:  TY SP. CODE EV NOTES # TY SP. CODE EV NOTES #  DE CADITIVIAL O BETVERO IN  LISTER  NOTES #  DE CODE EV NOTES #  NOTES #  DE CODE EV NOTES	COI	IDITIONS: +urui	na overcas	<i>it</i> 1	om sunu	И			Very Shallow
VERNAL POOLS UDIT LE EORGE SNAGS  HIBERNACULA  SPECIES LIST:  TY SP. CODE EV NOTES # TY SP. CODE EV NOTES #  OB Cyphinials o eserved in his relation notes.  Lister of the control of the	POT	ENTIAL WILDLIFE HAB	HTAT:	·		,			
HIBERNACULA  SPECIES LIST:  TY SP. CODE EV NOTES # TY SP. CODE EV NOTES #  DB Cyprinial o served in N  Licet	V	VERNAL POOLS	orthedae)		SNAGS				- 10 (1) 10 10 10 10 10 10 10 10 10 10 10 10 10
SPECIES LIST:  TY SP. CODE EV NOTES # TY SP. CODE EV NOTES # - Devolation Notes    DB Cyptimids o eserved in    Licely    Notes # - Devolation Notes    Notes detailed notes    - Water course following    and areas where for    Summer    - drain like channel    - drain like channel    - drain like channel    - no rock piles obse    hisernacula    - no major Standa			.) /		FALLEN LOGS				Shrimp, Masquitor
SPECIES LIST:  TY SP. CODE EV NOTES # TY SP. CODE EV NOTES # - Devolation Notes    DB Cyptimids o eserved in    Licely    Notes # - Devolation Notes    Notes detailed notes    - Water course following    and areas where for    Summer    - drain like channel    - drain like channel    - drain like channel    - no rock piles obse    hisernacula    - no major Standa									- 8 wood and from 50
TY SP. CODE EV NOTES # TY SP. CODE EV NOTES # - De vobretoul d'in Notes production de la contraction d	SPE	CIES LIST:							
DE Cyprinial observed in  Creek  - Water course flowing  and areas where fi  summer  - drain like channel  - no rock piles obse  hiternacula  - no major standa	TY	SP. CODE EV	NOTES #	TY	SP. CODE	ΕV	NOTES	#	
- Water course flowing  and areas where fi  summer  - drain like channel  gubstrate  - no rock piles obse  hiternacula  - no major standa				<u></u>					
- Water course flowing  and areas where fi  summer  - drain like channel  gubstrate  - no rock piles obse  hipernacula  - no major standa	DE		pserved in		,	-			las detailed notes
and areas where for summer - drain like channel - drain like channel - no rock piles observations - no major standi	-	creek		-		1			- Water rounce flowing
Summer  - drain like channel  - gubstrate  - no rock piles obse  hisernacula,  - no major standa									
- doain like channel gubstrate - no rock piles obse hisernacula, - no major standa									and areas where
gubstrate - no rock piles obse hi bernacula - no major standi				<u> </u>		ļ			Summer
gubstrate  - no rock piles obse  hi bernacula  - no major standi	-			-		-			- downlike channel
- no rock piles obse hi bernacula, - no major standi	-			-	<u> </u>			4	
hibernacula, - no major stande									
- no major stande									- no rock piles obse
- no major stande			<u> </u>						hilaerna cula.
	-			-		-		+	
	-								- Up way name
					1				]
	·	B = BIRD M = MAMMAL	H = HERPETOFAUN	A L=	LEPIDOPTERA F	= FISH	O = OTHER		
FAUNAL TYPE CODES (TY):  B = BIRD M = MAMMAL H = HERPETOFAUNA L = LEPIDOPTERA F = FISH O = OTHER		EDING BIRD - POSSIBLE:							
B = BIRD M = MAMMAL H = HERPETOFAUNA L = LEPIDOPTERA F = FISH O = OTHER  EVIDENCE CODES (EV):  BREEDING BIRD - POSSIBLE:		SH = SUITABLE HABITAT	SM = SINGING	MALE					
B = BIRD M = MAMMAL H = HERPETOFAUNA L = LEPIDOPTERA F = FISH O = OTHER  EVIDENCE CODES (EV):	BRE		D = DISPLAY						
B = BIRD M = MAMMAL H = HERPETOFAUNA L = LEPIDOPTERA F = FISH O = OTHER  EVIDENCE CODES (EV): BREEDING BIRD - POSSIBLE: SH = SUITABLE HABITAT SM = SINGING MALE  BREEDING BIRD - PROBABLE: T = TERRITORY D = DISPLAY P = PAIR			N = NEST BUI	DING	v = VIS	ITING N	EST		
B = BIRD M = MAMMAL H = HERPETOFAUNA L = LEPIDOPTERA F = FISH O = OTHER  EVIDENCE CODES (EV): BREEDING BIRD - POSSIBLE: SH = SUITABLE HABITAT SM = SINGING MALE  BREEDING BIRD - PROBABLE:	BRE			eT.	EV = E	ENGE	YOUNG	4.	
B = BIRD M = MAMMAL H = HERPETOFAUNA L = LEPIDOPTERA F = FISH O = OTHER  EVIDENCE CODES (EV): BREEDING BIRD - POSSIBLE: SH = SUITABLE HABITAT SM = SINGING MALE  BREEDING BIRD - PROBABLE: T = TERRITORY D = DISPLAY P = PAIR A = ANXIETY BEHAVIOUR N = NEST BUILDING V = VISITING NEST  BREEDING BIRD - CONFIRMED:		NE = EGGS	NY = YOUNG	.01			ECAL SACK		
B = BIRD M = MAMMAL H = HERPETOFAUNA L = LEPIDOPTERA F = FISH O = OTHER  EVIDENCE CODES (EV): BREEDING BIRD - POSSIBLE: SH = SUITABLE HABITAT SM = SINGING MALE  BREEDING BIRD - PROBABLE: T = TERRITORY D = DISPLAY P = PAIR A = ANXIETY BEHAVIOUR N = NEST BUILDING V = VISITING NEST  BREEDING BIRD - CONFIRMED: DD = DISTRACTION NU = USED NEST FY = FLEDGED YOUNG NE = EGGS NY = YOUNG FS = FOOD/FAECAL SACK	ОТН							-	
B = BIRD M = MAMMAL H = HERPETOFAUNA L = LEPIDOPTERA F = FISH O = OTHER  EVIDENCE CODES (EV): BREEDING BIRD - POSSIBLE: SH = SUITABLE HABITAT SM = SINGING MALE  BREEDING BIRD - PROBABLE: T = TERRITORY D = DISPLAY P = PAIR A = ANXIETY BEHAVIOUR N = NEST BUILDING V = VISITING NEST  BREEDING BIRD - CONFIRMED: DD = DISTRACTION NU = USED NEST FY = FLEDGED YOUNG NE = EGGS NY = YOUNG FS = FOOD/FAECAL SACK AE = NEST ENTRY	J111	OB = OBSERVED  DP = DISTINCTIVE PARTS							
B = BIRD M = MAMMAL H = HERPETOFAUNA L = LEPIDOPTERA F = FISH O = OTHER  EVIDENCE CODES (EV): BREEDING BIRD - POSSIBLE: SH = SUITABLE HABITAT SM = SINGING MALE  BREEDING BIRD - PROBABLE: T = TERRITORY D = DISPLAY P = PAIR A = ANXIETY BEHAVIOUR N = NEST BUILDING V = VISITING NEST  BREEDING BIRD - CONFIRMED: DD = DISTRACTION NU = USED NEST FY = FLEDGED YOUNG NE = EGGS NY = YOUNG FS = FOOD/FAECAL SACK  OTHER WILDLIFE EVIDENCE: OB = OBSERVED VO = VOCALIZATION CA = CARCASS		TK = TRACKS SI = OTHER SIGNS (specif	FE = FEEDING						


LEVEL

ELC WILDLIFE  SITE: POLYGON: DATE: SURVEYOR(S): START TIME: SURVEYOR(S): SURVE						,				, .
WILDLIFE  DATE: MANILOTE SURVEYOR(S): C P START TIME: [1:3/D END TIME: [1:3/D MM]  TEMP (°C): TO CLOUD (10th): 7 WIND: U PRECIPITATION: VI  CONDITIONS: SUMM WARM AND AND POTENTIAL WILDLIFE HABITAT:  VERNAL POOLS  HIBERNACULA  SPECIES LIST:  TY SP. CODE EV NOTES # TY SP. CODE EV NOTES #  SPECIES LIST:  TY SP. CODE EV NOTES # TY SP. CODE EV NOTES #  SPECIES LIST:  TY SP. CODE EV NOTES # TY SP. CODE EV NOTES #  SPECIES LIST:  TY SP. CODE EV NOTES # TY SP. CODE EV NOTES #  SPECIES LIST:  TY SP. CODE EV NOTES # TY SP. CODE EV NOTES #  SPECIES LIST:  SPEC	ELC		SILE.							1
WILDLIFE  SURVEYOR(S): CF  START TIME: [1:30] END TIME: [:30]										
START TIME:   1-3-7   END TIME:   3-7-7    TEMP (°C):   7-7   CLOUD (10th): 7   WIND: 4   PRECIPITATION: 5    CONDITIONS: 5   MANY MANY AND ATM  POTENTIAL WILDLIFE HABITAT:  VERNAL POOLS   SNAGS    HIBERNACULA   FALLEN LOGS    SPECIES LIST:  TY   SP. CODE   EV   NOTES   #   TY   SP. CODE   EV   NOTES   #    TY   SP. CODE   EV   NOTES   #   TY   SP. CODE   EV   NOTES   #    FAUNAL TYPE CODES (TY):  B = BIRD   M = MAMMAL   H = HERPETOFAUNA   L = LEPIDOPTERA   F = FISH   O = OTHER    EVIDENCE CODES (EV):  BREEDING BIRD - PROBABLE:  BREEDING BIRD - PROBABLE:	14(1) 51 155						-			
TEMP (°C): 7 CLOUD (10th): 7 WIND: 4 PRECIPITATION: 0.1  CONDITIONS: 9 WAY WAY AND OFF  POTENTIAL WILDLIFE HABITAT:  VERNAL POOLS SNAGS  HIBERNACULA FALLEN LOGS  SPECIES LIST:  TY SP. CODE EV NOTES # TY SP.	AAILL	IFE								
CONDITIONS: SUMM WARM AND ATM  POTENTIAL WILDLIFE HABITAT:  VERNAL POOLS  HIBERNACULA  SPECIES LIST:  TY SP. CODE EV NOTES # TY SP. CODE EV NOTES #  SPECIES LIST:  TY SP. CODE EV NOTES # TY SP. CODE EV NOTES #  SPECIES LIST:  TY SP. CODE EV NOTES # TY SP. CODE EV NOTES #  SPECIES LIST:  TY SP. CODE EV NOTES #  SPECIES LIST:  TY SP. CODE EV NOTES #  SPECIES LIST:  TY SP. CODE EV NOTES #  TY SP. CODE EV NOTES #  SPECIES LIST:  TY SP. CODE EV NOTES #  SPECIES LIST:  TY SP. CODE EV NOTES #  SPECIES LIST:  SPECIES LIST:  TY SP. CODE EV NOTES #  TY SP. CODE EV NOTES #  SPECIES LIST:  SPECIES LIST:  SPECIES LIST:  TY SP. CODE EV NOTES #  TY SP. CODE EV NOTES #  SPECIES LIST:  SPECIES LIST:  SPECIES LIST:  TY SP. CODE EV NOTES #  TY SP. CODE EV NOTES #  SPECIES LIST:  SPECIES LIST:  SPECIES LIST:  SPECIES LIST:  TY SP. CODE EV NOTES #  SPECIES LIST:  TY SP. CODE EV NOTES #  TY SP. CODE EV			START TIME:	1		END TIME:	20			ן ר
POTENTIAL WILDLIFE HABITAT:  VERNAL POOLS  HIBERNACULA  SPECIES LIST:  TY SP. CODE EV NOTES # TY SP. CODE EV NOTES #  HIBERNACULA  TY SP. CODE EV NOTES # TY SP. CODE EV NOTES #  HIBERNACULA  FAUNTAL TYPE CODES (TY):  B = BIRD M = MAMMAL H = HERPETOFAUNA L = LEPIDOPTERA F = FISH O = OTHER  EVIDENCE CODES (EV):  BREEDING BIRD - PROBABLE:  SH = SUITABLE HABITAT SM = SINGING MALE  BREEDING BIRD - PROBABLE:	TEMP (°C):			:4	PRECIPITATIO	N:	<u> </u>		-	
VERNAL POOLS  HIBERNACULA  VERNAL POOLS  HIBERNACULA  VERNAL POOLS  FALLEN LOGS  SPECIES LIST:  TY SP. CODE EV NOTES # TY SP. CODE EV NOT	CONDITIONS:	Sunn	y warn	1 au	00	24				<u> </u>
HIBERNACULA  SPECIES LIST:  TY SP. CODE EV NOTES # TY SP. CODE EV NOTES #  TY	POTENTIAL WIL	DLIFE HAE	STAT:			,		<u> </u>		٦.
SPECIES LIST:  TY SP. CODE EV NOTES # TY SP. CODE EV NOTES #  TY SP. CODE EV NOTES #  TY SP. CODE EV NOTES #  TY SP. CODE EV NOTES #  TY SP. CODE EV NOTES #  TY SP. CODE EV NOTES #  TY SP. CODE EV NOTES #  TY SP. CODE EV NOTES #  TY SP. CODE EV NOTES #  TY SP. CODE EV NOTES #  #  TY SP. CODE EV NOTES #  TY SP. CODE E	VERNAL PO	OLS			SNAGS					
TY SP. CODE EV NOTES # TY SP. CODE EV NOTES #    TY SP. CODE EV NOTES # TY SP. CODE EV NOTES #	HIBERNACI	ILA			$\vee$	FALLEN LOGS				
TY SP. CODE EV NOTES # TY SP. CODE EV NOTES #    TY SP. CODE EV NOTES # TY SP. CODE EV NOTES #					<u> </u>					]
FAUNAL TYPE CODES (TY):  # = BIRD M = MAMMAL H = HERPETOFAUNA L = LEPIDOPTERA F = FISH O = OTHER  EVIDENCE CODES (EV):  BREEDING BIRD - POSSIBLE:  SH = SUITABLE HABITAT SM = SINGING MALE  BREEDING BIRD - PROBABLE:	SPECIES LIST:									
FAUNAL TYPE CODES (TY):  B = BIRD M = MAMMAL H = HERPETOFAUNA L = LEPIDOPTERA F = FISH O = OTHER  EVIDENCE CODES (EV):  BREEDING BIRD - POSSIBLE:  SH = SUITABLE HABITAT SM = SINGING MALE  BREEDING BIRD - PROBABLE:	TY SP. CO	DE EV	NOTES	#	TY	SP. CODE	EV	NOTES	#	];
FAUNAL TYPE CODES (TY):  B = BIRD M = MAMMAL H = HERPETOFAUNA L = LEPIDOPTERA F = FISH O = OTHER  EVIDENCE CODES (EV):  BREEDING BIRD - POSSIBLE:  SH = SUITABLE HABITAT SM = SINGING MALE  BREEDING BIRD - PROBABLE:										
FAUNAL TYPE CODES (TY):  B = BIRD M = MAMMAL H = HERPETOFAUNA L = LEPIDOPTERA F = FISH O = OTHER  EVIDENCE CODES (EV):  BREEDING BIRD - POSSIBLE:  SH = SUITABLE HABITAT SM = SINGING MALE  BREEDING BIRD - PROBABLE:										
FAUNAL TYPE CODES (TY):  B = BIRD M = MAMMAL H = HERPETOFAUNA L = LEPIDOPTERA F = FISH O = OTHER  EVIDENCE CODES (EV):  BREEDING BIRD - POSSIBLE:  SH = SUITABLE HABITAT SM = SINGING MALE  BREEDING BIRD - PROBABLE:							ļ			
FAUNAL TYPE CODES (TY):  B = BIRD M = MAMMAL H = HERPETOFAUNA L = LEPIDOPTERA F = FISH O = OTHER  EVIDENCE CODES (EV):  BREEDING BIRD - POSSIBLE:  SH = SUITABLE HABITAT SM = SINGING MALE  BREEDING BIRD - PROBABLE:							ļ			-
FAUNAL TYPE CODES (TY):  B = BIRD M = MAMMAL H = HERPETOFAUNA L = LEPIDOPTERA F = FISH O = OTHER  EVIDENCE CODES (EV):  BREEDING BIRD - POSSIBLE:  SH = SUITABLE HABITAT SM = SINGING MALE  BREEDING BIRD - PROBABLE:				+-1			<del> </del>		-	╣.
FAUNAL TYPE CODES (TY):  B = BIRD M = MAMMAL H = HERPETOFAUNA L = LEPIDOPTERA F = FISH O = OTHER  EVIDENCE CODES (EV):  BREEDING BIRD - POSSIBLE:  SH = SUITABLE HABITAT SM = SINGING MALE  BREEDING BIRD - PROBABLE:			<del> </del>	+	<b></b>		╁			-
FAUNAL TYPE CODES (TY):  B = BIRD M = MAMMAL H = HERPETOFAUNA L = LEPIDOPTERA F = FISH O = OTHER  EVIDENCE CODES (EV):  BREEDING BIRD - POSSIBLE:  SH = SUITABLE HABITAT SM = SINGING MALE  BREEDING BIRD - PROBABLE:				+-	<del> </del>		┼─			
FAUNAL TYPE CODES (TY):  B = BIRD M = MAMMAL H = HERPETOFAUNA L = LEPIDOPTERA F = FISH O = OTHER  EVIDENCE CODES (EV):  BREEDING BIRD - POSSIBLE:  SH = SUITABLE HABITAT SM = SINGING MALE  BREEDING BIRD - PROBABLE:			<del> </del>	+						┪.
FAUNAL TYPE CODES (TY):  B = BIRD M = MAMMAL H = HERPETOFAUNA L = LEPIDOPTERA F = FISH O = OTHER  EVIDENCE CODES (EV):  BREEDING BIRD - POSSIBLE:  SH = SUITABLE HABITAT SM = SINGING MALE  BREEDING BIRD - PROBABLE:			<del> </del>	+		7.7			7	1
FAUNAL TYPE CODES (TY):  B = BIRD M = MAMMAL H = HERPETOFAUNA L = LEPIDOPTERA F = FISH O = OTHER  EVIDENCE CODES (EV):  BREEDING BIRD - POSSIBLE:  SH = SUITABLE HABITAT SM = SINGING MALE  BREEDING BIRD - PROBABLE:			<del> </del>	1				/_		7
FAUNAL TYPE CODES (TY):  B = BIRD M = MAMMAL H = HERPETOFAUNA L = LEPIDOPTERA F = FISH O = OTHER  EVIDENCE CODES (EV):  BREEDING BIRD - POSSIBLE:  SH = SUITABLE HABITAT SM = SINGING MALE  BREEDING BIRD - PROBABLE:	· ·									]
FAUNAL TYPE CODES (TY):  B = BIRD M = MAMMAL H = HERPETOFAUNA L = LEPIDOPTERA F = FISH O = OTHER  EVIDENCE CODES (EV):  BREEDING BIRD - POSSIBLE:  SH = SUITABLE HABITAT SM = SINGING MALE  BREEDING BIRD - PROBABLE:									_	1
FAUNAL TYPE CODES (TY):  B = BIRD M = MAMMAL H = HERPETOFAUNA L = LEPIDOPTERA F = FISH O = OTHER  EVIDENCE CODES (EV):  BREEDING BIRD - POSSIBLE:  SH = SUITABLE HABITAT SM = SINGING MALE  BREEDING BIRD - PROBABLE:				1—1			$\downarrow$			4
FAUNAL TYPE CODES (TY):  B = BIRD M = MAMMAL H = HERPETOFAUNA L = LEPIDOPTERA F = FISH O = OTHER  EVIDENCE CODES (EV):  BREEDING BIRD - POSSIBLE:  SH = SUITABLE HABITAT SM = SINGING MALE  BREEDING BIRD - PROBABLE:				1			1	· ·		┨ .
FAUNAL TYPE CODES (TY):  B = BIRD M = MAMMAL H = HERPETOFAUNA L = LEPIDOPTERA F = FISH O = OTHER  EVIDENCE CODES (EV):  BREEDING BIRD - POSSIBLE:  SH = SUITABLE HABITAT SM = SINGING MALE  BREEDING BIRD - PROBABLE:			·				1	<u> </u>		┪
B = BIRD M = MAMMAL H = HERPETOFAUNA L = LEPIDOPTERA F = FISH O = OTHER  EVIDENCE CODES (EV): BREEDING BIRD - POSSIBLE: SH = SUITABLE HABITAT SM = SINGING MALE  BREEDING BIRD - PROBABLE:			<del></del>		<del> </del>		-			┨.
B = BIRD M = MAMMAL H = HERPETOFAUNA L = LEPIDOPTERA F = FISH O = OTHER  EVIDENCE CODES (EV): BREEDING BIRD - POSSIBLE: SH = SUITABLE HABITAT SM = SINGING MALE  BREEDING BIRD - PROBABLE:										
EVIDENCE CODES (EV): BREEDING BIRD - POSSIBLE: SH = SUITABLE HABITAT SM = SINGING MALE  BREEDING BIRD - PROBABLE:	FAUNAL TYPE	CODES (TY	'): H = HERPET	OFAUNA	. L=	LEPIDOPTERA F	= FISH	O = OTHER		
SH = SUITABLE HABITAT SM = SINGING MALE  BREEDING BÎRD - PROBABLE:								•		
BREEDING BIRD - PROBABLE:	BREEDING BIRD - POSSIBLE:									
D. DAID								•		
	T = TERRITORY D = DISPL					P = PAIR				
A = ANXIETY BEHAVIOUR N = NEST BUILDING V = VISITING NEST	A = ANXIETY	BEHAVIOUR	N = NE	ST BUIL	DING	V = VIS	ITING	NEST		
BREEDING BIRD - CONFIRMED: DD = DISTRACTION NU = USED NEST FY = FLEDGED YOUNG	_			ICEN NE	eT.	FV = F	EDGE	D YOUNG	, ,,	
NE = EGGS NY = YOUNG FS = FOOD/FAECAL SACK	NE = EGGS				31			AECAL SACK		
AE = NEST ENTRY  OTHER WILDLIFE EVIDENCE:				•				,	-	,
OB = OBSERVED VO = VOCALIZATION CA = CARCASS	OB = OBSER	VED								
	DP = DISTINCTIVE PARTS									

. !	1	1 }	14
NOTES:			I A
- Waxeo course			;
T45+T46 Na	TIE COM	MICH	zone
with smaller	ol cain	like of	iannel.
- Substrate is	sand a	Cone a	gravel:
- W. Sucker spa	Carried at	Lind . A	
cypriside ob	cecied		,
- In inimal be	V P ENCI	0.7	•
- warman		Canal	Machine .
- riparian on		D Jour	· will
de cidagu 3		1741	7 2
- we teg	dwidth		
wetted	depth	0.20 46	
topof	Vank	2.5 1	^
hank.	Full width	6.04	
Vank	ful depth	132.50	Nuse
	7		
(A)	1/250	disale	Witch
D-No woodle	rug gie	all all	
- No snake	e prove	<u>marma</u>	1 0 (
- No fuefl	e over	virteoux	dor has
areas			
			1/2

LEVEL

	•					
FLO	SITE:			- 48		
ELC	POLYGON: FODY-Z					
WII DI IEE	DATE: AL	11,2012		·		
WILDLIFE	SURVEYOR(S):		U.20			NOTES:
	START TIME: [0:	<del></del>				14-1-1 12-1 1-1 1-1 1-1 1-1 1-1 1-1 1-1 1-
TEMP (°C): 17 % C	LOUD (10th): 🔾 WIN	D: 4 PREC	IPITATION: 🖹	<u>vil</u>		- assessment of watercourse within
CONDITIONS: SULV	y warmand	dry				120mof T-48
POTENTIAL WILDLIFE H						1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -
VERNAL POOLS		SNAGS	<del></del>	A		
HIBERNACULA		FALLE	N LOGS			forest, fish habitat is cyporined
THELITA		+ -				
						Statistical Days
SPECIES LIST:	va	1 7 5-	cope levi	NOTES	T	other species
	V NOTES #	TY SP.	CODE EV	NOTES	#	- we fed width ranges 1,3 to 2,5 m
1 wild the		$H \longrightarrow H \longrightarrow$			+-	- we red worth ranges 10 10 10 25 10 26
deertra	45	<del>                                     </del>			<del>     </del>	wetter depth 0.10 to victim (pois)
		<del>                                     </del>			+	channel width ~ 6.0 m
		<del>                                     </del>			+-	
		H				mean bank fullwidth = 3.8m
		<del>                                     </del>				- active bankerosion on both sides
		1				- active powers
						- wild turkey observed and deer too
					,	Will have regularized
					4	
						@ no turtle or snake habitat ( hiber
		1			+-	present within wood lot
	<del>-    </del>	11-4-			<del>-                                      </del>	OUSERVER WITHIN SOME TO
		11-1-				
<del>-  -  -</del>						Dup woodland Amphibian breeding
						W W W W W W W W W W W W W W W W W W W
FAUNAL TYPE CODES ( B = BIRD M = MAMM	ΓΥ): AL H≖HERPETOFAUÑ	A L = LEPIDOR	PTERA F = FISH	O = OTHER		habitat
EVIDENCE CODES (EV):						
BREEDING BIRD - POSSIBLE SH = SUITABLE HABITA		G MALE				
				•		
BREEDING BIRD - PROBABI T = TERRITORY	D = DISPLAY		P = PAIR			
A = ANXIETY BEHAVIO	UR N≖NESTBU	ILDING	V = VISITING N	EST		
BREEDING BIRD - CONFIRM	ED: NU = USED N	FST	FY = FLEDGED	YOUNG	45 ,	
DD = DISTRACTION NE = EGGS	NY = YOUNG		FS = FOOD/FA	ECAL SACK		
AE = NEST ENTRY	<b>:</b> .				•	
OTHER WILDLIFE EVIDENCE OB = OBSERVED	VO = VOCAL		CA = CARCAS: FY = EGGS OR		1	LEVEL
DP = DISTINCTIVE PAR TK = TRACKS	TS HO = HOUSE FE = FEEDING		SC = SCAT	CHOCK		
SI = OTHER SIGNS (spe	cify)					



Grand Bend March 22/12 SP+LL 3 trumpeter swans from away from north cey to East at about 40m height (NLS+ pond) AMT01-2 NOLE 1-1 Franceter Swans 70 Mute Swan -1 Bufflichead - De050 Tundra Swan -73 Canada Gusse - 2 Greater Scamp - 50 \* swimming around in pond, and on west bern Potential Stagging Areas CAMPBELL AVE 10:55 am 20°C wind=1 CAGO - 1111 a bit hazy over Bufflehead ++++ ++++ RBGU - 40+ Hendrick Rd 11:06 an 20°C wind=1 outlook over lake; on top of bluff RBGU - 50+ Anches (way off in distance buffleheads - 50+ bank swallows - obs. I frying down into S. TRANSMISSION LINE -no staging areas + no swans - occassional end @ 12: Zopn Concentrations of REGU in fields

March 22/12 THADRO SWAN EVENING SURVEY start @ 5pm , end @ 7pm T= 27°C, w=1, hazy, but clear to see distance -no swans or ducks in the north West pond 5:20 PM TUNDRA SWANS - 100 Individuals BUFFLEHEADS - 30 15 SPPFI-1 7 in south pond MAMTO 1-4 RTHA - 1 flying overhead GREATER SCAUP - 20 \* swans mostly gathered on west bern of west pond; some swimming in the pond itself - along take Huron @ end of Hendrick Rd 45 RBGU Gtemp @ lake cooler ~12°C - no swans etc. along south transmission line - one RTHA being chased by 2 AMCR across from "christmas tree plantation" on Beshwood Rd - 665. around 4pm

Grand Bend Tundra Swans & Snake Hibernacula 18 March 2012 - Sunny, 20C 20 March 2012 - Sunly, 19°C wind 3 slight tog esp. of silvie wind 2 investigated both barrensin standedstransmission line (a) line, tall paticipally 1030 started participang properties 1130 - no waterford along S, transm mounty -I looked & brownlaw Start 2:30 end \$ 7:00 Went down to Midler of May - looked over lake of Tumbull's at NS:30 to look Jackind lead - nothing except scalled Lambton Heinhage Centre RBGD on lake Saw Hock of & 40 8mgns Chin Pfahl phonod at ~ 1200 away in feld after the to pay he law ~ 30 swans land on sewage byoon (?) of N -5 swans on ground + KB transmission line fint wo - Small areas of water Line 4 (Hony 4) - about 20 -30 ceindere of pooling occupies Finished early survey @ 1250 or take N/14 of area No swampat Poplar Death Road Snake hibernacula search (1) LN 2-806 400 - small area o Nobble + vocks in cvm-nosnates large rock pile next to woods - no snakes brick concrete + stone metal periwinkle throughout area -old famisled

Grand Bend Snake Hibernacule

abundant Hat m (2)- aread Noble-some to lapsod Den here - ma 9" drameter earthepiles no makes (brick, concrete, stongs) venalpool (2 ws 597 in for -g / Dishape some metal - earth sile in a comple of all as 3 - pile & large logo (30-50 cm dbh) along this edge but no rock site earth pile extends W pour - at 5 end 8), woodlir-small pub whole bile - area is meadon of broken SNTV egg shells + I large array egg shell (while) - looks old 479 390 It early order along edge eso at SW edge baby EAGA on slope to creek 6) ribble pile @ wp 598 4+3670/4803938 about on so his location -large v bble logo, earth fines den - no sign of fresh excavation (raccords scal abundant paccoon macho alug CAPOR (4)-Some organ of water working noted before here at corner of woodlot 50 mx/ Rock pile @ WP 599 10 m / beings mall pool 2mx ism no Snapes 4 is a woodpile - off strups + can't well covered a par 443732 4803952 - no snallo 5) ROCKDILE @ WP 596 44 35 38 | 480 355 1 Vernal pool & WOFR WP 600 443755 4803937 1500 Calling N 20 ME I loop & some metal debin have

Grand Bend Snake Hibernacula & Tundra Swans

deer of fred proposed edge Rock pile well conesed = early @ wb 601 443796 | 4803950 edge Tuer all rock of this laye rock @ WP 602 44 \$868/480393) rock sile (well covered a earth @wr 603 443921 4803937 Kock & log pile@ WP 604 44397 9 4803930 deer shind here - him evends to E to WP60S 4803922 intermittently to E end of properly - recent rockable nor conered ceam) @ [ WP 60 6 444.057 | 4803921 end at 4:30 - Jemp ~ 25°C

Evening Swan Survey start (a) 5:00 U-Start DI T-125 25°C wind 2 clear + sunmy frim had paincipaling properties to 6.45 - no owans on any participating properter many gulls over fields because they are being placed , mature smalled, (RBGW) no swaws along & transpossion exc: - visited servago lagion () at N 7:00 Saw 5 swants landing on NW lagoon law 2 swalls on NE layour hat flew over to NW lagoon but containt get a good look at NW lagoon (posed Also present - RNDU of MAIL (about 10) in S lagoon ~120 RNDU in NE lagoon but did - abundant HOLA surging on almost every field - heard several EAPH in Woods